EPA REGION-9 SUPERFUND RECORDS CENTER



1851-05783

SAN GABRIEL VALLEY (AREAS 1-4)

### ATTENTION!! ATTENTION!!

You are responsible for this file. Do not pass on to anyone else. When finished, return to:

EPA-9 Superfund Records Center 75 Hawthorne Street 9th floor, H-6-1 San Francisco, CA 94105

### PROPERTY OF EPA REGIO

### HAZARDOUS WASTE MANAGEMENT DIVISION



### PLEASE RETURN TO RECORDS CENTI 215 FREMONT STREET SAN FRANCISCO, CALIFORNIA 94105

Third Quarter Groundwater Monitoring of 1992 at the
Stoody Company Facility
Industry, California
for
Thermadyne Holdings Corporation
St. Louis, Missouri

Clayton Project No. 39314.03

May 3, 1993



5785 Corporate Avenue Suite 150 Cypress, CA 90630 (714) 229-4806 Fax (714) 229-4805





Third Quarter Groundwater Monitoring of 1992 at the
Stoody Company Facility
Industry, California
for
Thermadyne Holdings Corporation
St. Louis, Missouri

Clayton Project No. 39314.03

May 3, 1993

5785 Corporate Avenue Suite 150 Cypress, CA 90630 (714) 229-4806 Fax (714) 229-4805 Clayton ENVIRONMENTAL CONSULTANTS

May 3, 1993

Mr. Samuel Yu Environmental Specialist CRWQCB, LOS ANGELES REGION 101 Centre Plaza Drive Monterey Park, CA 91754-2156

> Clayton Project No. 39314.03 CRWQCB File No. 105.0263

Subject: Third Quarter Groundwater Monitoring Results from the Stoody Company

Facility, 16425 East Gale Avenue, Industry, California

Dear Mr. Yu:

Clayton Environmental Consultants Inc., is pleased to present to you the report of the Third Quarter Monitoring Results at the above referenced address on behalf of the Stoody Company.

If you have any questions or require additional information, please contact Mr. David Randell or me at (714) 229-4806.

Sincerely,

Reviewed by,

Guy Romine

Environmental Geologist

David H. Randell, R.G.

Manager, Environmental Engineering

avid H. Rondle D

**Pacific Operations** 

cc: Ms. Kathy Kieffer, Thermadyne Holdings Corporation Mr. Martin Casper, Thermadyne Holdings Corporation Jaswant Singh, Ph.D., Director, Pacific Operations



### **CONTENTS**

Section	<u>Pa</u>	<u>ige</u>
1.0 1.1 1.2	INTRODUCTION OBJECTIVES SCOPE OF WORK	_
2.0	BACKGROUND	1
3.0 3.1 3.2 3.3	MONITORING ACTIVITIES FIELD PROCEDURES FIELD WORK ANALYTICAL METHODS	2 2 3 3
4.0 4.1 4.2	MONITORING RESULTS  FIELD RESULTS  ANALYTICAL RESULTS	3 3 4
5.0 5.1 5.2	CONCLUSIONS TURBIDITY VOLATILE ORGANIC COMPOUNDS	6 6 6
6.0	RECOMMENDATIONS	6
7.0	SCHEDULE FOR NEXT GROUNDWATER MONITORING EVENT	7
8.0	<u>LIMITATIONS</u>	7
<u>Appen</u>	<u>dices</u>	
В	FIGURES AND TABLES GROUNDWATER SAMPLING FORMS LABORATORY REPORTS AND CHAIN-OF-CUSTODY FORMS	



#### 1.0 INTRODUCTION

Stoody Company retained Clayton Environmental Consultants, Inc., on December 31, 1991, to redevelop and perform quarterly groundwater monitoring for each of five groundwater monitoring wells during 1992, at the Stoody Company, located at 16425 East Gale Avenue, Industry, California (Appendix A, Figures 1 and 2). The work was performed in accordance with the Terms and Conditions outlined in Clayton's Proposal No. 91-SEE-186, dated December 18, 1991.

#### 1.1 OBJECTIVES

Clayton had two objectives for this third quarter of the project: (1) to measure the level of the groundwater in the five monitoring wells once each month of the quarter of the sampling period, and (2) to monitor the quality of the groundwater in the monitoring wells, through laboratory analysis of samples collected from them, once during the quarter.

#### 1.2 SCOPE OF WORK

Clayton completed the following scope of work to accomplish the objectives listed above:

- Measured and recorded the depth to groundwater for each well once a month
- Collected and laboratory analyzed groundwater samples from the monitoring wells
- Issued a quarterly report of the findings, conclusions and recommendations

#### 2.0 BACKGROUND

Clayton has performed subsurface investigations and quarterly groundwater monitoring at the Stoody Company facility for the past 3 years. The Stoody Company stopped their manufacturing operations at the facility in November of 1991. The facility currently is used for warehousing purposes.

The information presented in Table 1 (Appendix A) summarizes the laboratory analyses of the last three quarterly sampling events. During that time the laboratory reports from the groundwater analyses have provided results that generally show some trends concerning the level of contamination of the groundwater beneath the facility (Table 1, Appendix A). A discussion of these will be provided in the fourth quarterly report.



#### 3.0 MONITORING ACTIVITIES

The following sections present the field procedures, field work, and laboratory analyses used to meet the investigation objectives.

#### 3.1 FIELD PROCEDURES

Clayton followed specific field procedures to complete the field activities. The following subsections describe procedures for the groundwater sampling of each well, and the decontamination of the equipment used in the field.

#### 3.1.1 Sampling Procedures

Prior to groundwater sampling, at least three well casing volumes of water were removed from each well. Water quality parameters (Ph, temperature, and electrical conductivity) were measured and recorded after each casing volume of water had been removed. After removing at least three well casing volumes of water, and after the water quality parameters had stabilized to within plus or minus 10% of the values measured from the previous casing volume, the wells were allowed to recharge for at least 1 hour.

After the wells had recovered, at least one additional set of water quality parameters was taken. If the parameters again showed a value within plus or minus 10% of the value of the last readings, water samples for laboratory analyses were collected.

The groundwater samples were collected with a Lexan<sup>TM</sup> bailer. The groundwater samples were decanted from the bailer with a Teflon<sup>TM</sup> tap and collected in appropriate containers with preservatives in accordance with Environmental Protection Agency (EPA) sampling and preservation guidelines (1984, 40 CFR 136). The samples were labeled, wrapped in shock-absorbing materials, and placed on ice in an ice chest for transportation to a laboratory, certified by the State of California, Department of Health Services (DHS), for analyses. Standard chain-of-custody procedures were followed.

Water removed from the wells during development and sampling was placed in Class 17-H, 55-gallon drums appropriate for water collection. Disposal of the drums and their contents are the responsibility of the Stoody Company. A total of five drums of water were generated.

#### **3.1.2** Decontamination Procedures

Clayton hand washed the purging and sampling devices prior to their use in each well. They were washed in an Alconox<sup>TM</sup> detergent solution, rinsed twice in potable water, and final rinsed with deionized water.



#### 3.2 FIELD WORK

The field work consisted of the following:

- Monthly measurement of the depth to groundwater in each well
- Quarterly collection of groundwater samples from each groundwater monitoring well

#### 3.2.1 Groundwater Measurements

Clayton measured the depth to groundwater in each groundwater monitoring well once a month during the third quarter of 1992. The dates that the depths to groundwater were measured were August 25, September 25, and October 28, 1992. The data is presented in Tables 2 and 3, and Figures 3 through 7 (Appendix A).

#### 3.2.2 Groundwater Sampling

The sampling events for this quarter occurred on October 28, 1992. Clayton's subcontractor H-F Drilling removed a minimum of three casing volumes of groundwater by bailing water from each well with an 8-foot long, 4-inch diameter steel bailer. During the bailing, groundwater quality parameters were taken; the wells were then left to recover for 1 hour. After the recovery time, at least one additional set of water quality parameters were taken followed by the collection of groundwater samples. Appendix B contains copies of Clayton's water sampling field forms indicating the time of sampling, volume purged, pH, conductivity, and temperature obtained from samples from each well.

#### 3.3 ANALYTICAL METHODS

Groundwater samples from each of the wells were analyzed using EPA Methods 180.1 for turbidity, and 524.2 for volatile organic compounds (VOCs). The laboratory analyses for the collected groundwater samples were performed at the laboratory facilities of Clayton Environmental Consultants, in Pleasanton, California. The laboratory reports and the chain-of-custody forms are contained in Appendix C.

#### 4.0 MONITORING RESULTS

#### 4.1 FIELD RESULTS

The depth to groundwater was measured and recorded once a month throughout the quarter. The groundwater level in the five wells has risen an average of 0.04 inches from last quarter. Figures 3 through 7 illustrate the groundwater measurements for each well during the past 12 months.



#### 4.2 ANALYTICAL RESULTS

Each groundwater sample collected was analyzed for 20 volatile organic compounds. The laboratory analyses of the groundwater samples for the third quarter of 1992, and the comparable data from previous months of groundwater monitoring have been summarized in Tables 1 and 4 of Appendix A, specifically VOCs and turbidity.

#### 4.2.1 Monitoring Well MW-1

The laboratory reported a concentration of 140 Nephelometric Turbidity Units (NTUs) in the sample analyzed from Well MW-1 (Appendix A, Table 4).

The laboratory reported the presence of nine VOCs in the sample analyzed from Well MW-1. These VOCs were the same as those identified in the last quarter, with the exception of chloroform, which had a concentration of 1 microgram per liter (ug/L) above the detection limit, and Freon 113, which had not been detected previously.

The following nine VOCs were identified: carbon tetrachloride (CTC), chloroform, 1,1-dichloroethene (1,1-DCE), cis 1,2-dichloroethene (1,2-DCE), tetrachloroethene (PCE), 1,1,1-trichloroethane (1,1,1-TCA), trichloroethene (TCE), trichlorofluoromethane (TCFM), and Freon 113 (Appendix A, Table 3).

The concentrations of four VOCs (CTC, 1,1-DCE, PCE, and TCE) exceeded the maximum contaminant levels (MCLs) established by the U.S. Environmental Protection Agency (EPA) or the State of California Department of Health Services (DHS), which is used as a clean-up guidance level by the CRWQCB for drinking water.

#### 4.2.2 Monitoring Well MW-2

The laboratory reported a concentration of 390 NTUs in the sample analyzed from Well MW-2 (Appendix A, Table 4).

The laboratory reported the presence of nine VOCs in the sample analyzed from Well MW-2, three more than in the last quarter.

The VOCs—CTC, chloroform, 1,1-DCE, cis 1,2-DCE, PCE, 1,1,1-TCA, TCE, TCFM, and freon 113 were identified by the laboratory this quarter (Appendix A, Table 1). With the exception of CTC, chloroform, and freon 113, the VOCs are the same as those identified by the laboratory last quarter.

The concentrations of four VOCs (CTC, 1,1-DCE, PCE, and TCE) exceeded the established MCLs for drinking water.



#### 4.2.3 Monitoring Well MW-3

The laboratory reported a concentration of 58 NTUs in the sample analyzed from Well MW-3 (Appendix A, Table 4).

The laboratory reported the presence of 19 VOCs in the sample analyzed from Well MW-3, ten more than in the last quarter.

The following VOCs were detected: benzene, CTC, chloroform, 2-chlorotoluene, 1,2-dichloroethane (1,2-DCA), 1,1-DCE, cis 1,2-DCE, ethylbenzene, naphthalene, PCE, toluene, 1,1,1-TCE, TCE, TCFM, 1,2,4-trimethylbenzene (1,2,4-TMB), 1,3,5-TMB, o-xylene, p,m-xylenes, and freon 113 (Appendix A, Table 1) in the sample analyzed from Well MW-3.

The concentrations of five VOCs (CTC, 1,2-DCA, 1,1-DCE, PCE, and TCE) exceeded the MCLs for drinking water.

#### 4.2.4 Monitoring Well MW-4

The laboratory reported a concentration of 610 NTUs in the sample tested from Well MW-4 (Appendix A, Table 4).

The laboratory reported the presence of nine VOCs in the sample analyzed from Well MW-4. The VOCs are the same as those identified by the laboratory last quarter, with the exception of freon 113, which had not been detected in the past.

The following VOCs were detected: CTC, Chloroform, 1,1-DCE, cis 1,2-DCE, PCE, 1,1,1-TCA, TCE, TCFM, and freon 113 in the sample analyzed from Well MW-4 (Appendix A, Table 1).

The concentrations of four VOCs (CTC, 1,1-DCE, PCE, and TCE) exceeded the MCLs for drinking water.

#### 4.2.5 Monitoring Well MW-5

The laboratory reported a concentration of 2.4 NTUs in the sample analyzed from Well MW-5 (Appendix A, Table 4).

The laboratory reported the presence of seven VOCs in the sample analyzed from Well MW-5. The VOCs are the same as those identified by the laboratory last quarter with the exception of freon 113, which had not been detected in the previous quarters.

The following VOCs were detected: 1,1-DCE, Cis 1,2-DCE, PCE, 1,1,1-TCA, TCE, TCFM, and freon 113 (Appendix A, Table 1).



The concentrations of three VOCs (1,1-DEC, PCE, and TCE) exceeded the MCLs for drinking water.

#### 5.0 <u>CONCLUSIONS</u>

#### 5.1 TURBIDITY

The laboratory test results for turbidity indicate that the five wells are experiencing some silting in through the filter pack. Because the turbidity concentrations were higher than the previous quarter of sampling it is likely that the wells are accumulating silt in the filter pack and well casing. To resolve this problem Clayton will expand the well development effort next quarter.

#### 5.2 VOLATILE ORGANIC COMPOUNDS

Clayton has performed quarterly groundwater monitoring at the Stoody Company facility for three years. During that time laboratory results from groundwater analyses have provided no conclusive evidence that the Stoody Company has contributed to the contaminated condition of the groundwater beneath their facility. Furthermore, well MW-4, the most hydrologically upgradient well on the site, has repeatedly shown VOC levels during the last three years.

Well MW-3 was the first well purged during the sampling event. Our subcontractor's use of a steel bottom-fill bailer to remove water and fines from the well is likely the source of the VOCs. The interior of the bailer is difficult to access and may not have been decontaminated thoroughly enough before its use in MW-3.

#### 6.0 **RECOMMENDATIONS**

Clayton recommends that the groundwater monitoring at the Stoody facility continue through 1993. Additionally, Clayton recommends addressing the presence or absence of an upgradient source of contamination, by reviewing, compiling and analyzing data from existing upgradient monitoring wells available in the files of the CRWQCB and the Los Angeles County Department of Public Works. If data is found to further support that the Stoody Company is in the downgradient position of a known, or suspected, groundwater contamination contributor, Clayton recommends groundwater monitoring be discontinued at the end of 1993.

Clayton will not use the steel bailer for fourth quarter sampling, but will use a downhole submersible pump system to purge water from the wells.



#### 7.0 SCHEDULE FOR NEXT GROUNDWATER MONITORING EVENT

Groundwater monitoring will continue on a monthly basis; groundwater sampling (and laboratory analysis) will continue on a quarterly basis.

#### 8.0 LIMITATIONS

The information and opinions rendered in this report are exclusively for use by the Stoody Company. Clayton Environmental Consultants, Inc. will not distribute this report without their consent except as may be required by law or court order. The information and opinions expressed in this report are given in response to our limited assignment and should be evaluated and implemented only in light of that assignment. We accept responsibility for the competent performance of our duties in executing the assignment and preparing this report in accordance with the normal standards of our profession but disclaim any responsibility for consequential damages.

This report submitted by:

Guy Romine Geologist

This report reviewed by:

David H. Randell

Registered Geologist, No. 3977

Manager, Environmental Engineering


I D. Kondll

**Pacific Operations** 

May 3, 1993




# APPENDIX A FIGURES AND TABLES




BASEMAP FROM USGS, 1966. USGS BALDWIN PARK AND LA HABRA CALIFORNIA QUADRANGLES, 7.5 MINUTE SERIES (TOPOGRAPHIC), PHOTOREVISED 1981



CLAYTON ENVIRONMENTAL CON	FIGURE	
SITE LOCATION AND TOPO	OGRAPHY	1
The Stoody Company 16425 E. Gale Avenue Industry, CA	Clayton Project No. 39314.00	3/93



#### SOUTHERN PACIFIC RAILROAD




EAST GALE AVENUE


imes Fenceline


### DRAWING NOT TO SCALE





CLAYTON ENVIRONMENTAL CONSULTANTS, INC.	FIGURE
GROUNDWATER FLOW DIRECTION	3
THERMADYNE INDUSTRIES STOODY COMPANY FACILITY INDUSTRY, CALIFORNIA PROJECT NO. 41184.00	8/92











### Table 1 Summary Table of Results for EPA Method 524.2 (Concentrations in ug/L) for Volatile Organic Compounds

at
Stoody Company
City of Industry, California
Clayton Project No. 39314.03

Compound	Date	MW-1	MW-2	MW-3	MW-4	MW-5	Field Blank	Method Blank	LOD for Compound	CAMCL and EPAMCL for Compound
Benzene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL: 1.0
	7-24-92	ND	ND	ND	ND	ND	ND	ND		EPAMCL: 5.0
	10-28-92	ND	ND	0.6	ND	ND	ND	ND		
Carbon tetrachloride	3-24-92	ND	ND	+1.5	ND	ND	ND	ND	0.5	CAMCL: 0.5
(CTC)	7-24-92	+0.7	ND	+0.9	+0.8	ND	ND	ND		EPAMCL: 5.0
	10-28-92	+0.9	+0.7	+0.9	+0.8	ND	ND	ND		
Chloroform	3-24-92	ND	ND	1.2	ND	ND	ND	ND	0.5	CAMCL &
	7-24-92	ND	ND	0.8	0.5	ND	ND	ND		EPAMCL: 100
	10-28-92	0.6	0.5	0.8	0.6	ND	ND	ND		
2-Chlorotoluene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	Unregulated
	7-24-92	ND	ND	ND	ND	ND	ND	ND		
	10-28-92	ND	ND	0.6	ND	ND	ND	ND		
1,2-Dichloroethane	3-24-92	ND	ND	+0.54	ND	ND	ND	ND	0.5	CAMCL &
(1,2-DCA)	7-24-92	ND	ND	+0.6	ND	ND	ND	ND		EPAMCL: 0.5
	10-28-92	ND	ND	+0.6	ND	ND	ND	ND		
1,1-Dichloroethene	3-24-92	+21	+12	+54	+15	+7.7	ND	ND	0.5	CAMCL: 6.0
(1,1-DCE)	7-24-92	+15	+9.3	+30	+17	5.4	ND	ND		EPAMCL: 7.0
	10-28-92	+20	+12	+25	+17	+8.2	ND	ND		

## Table 1 (Continued) Summary Table of Results for EPA Method 524.2 (Concentrations in ug/L) for Volatile Organic Compounds

at
Stoody Company
City of Industry, California
Clayton Project No. 39314.03

Compound	Date	MW-1	MW-2	MW-3	MW-4	MW-5	Field Blank	Method Blank	LOD for Compound	CAMCL and EPAMCL for Compound
Cis 1,2-Dichloroethene	3-24-92	3.7	ND	0.51	3.6	2.1	ND	ND	0.5	CAMCL: 6.0
(Cis 1,2-DCE)	7-24-92	3.0	2.7	ND	3.9	1.7	ND	ND		EPAMCL: 7.0
	10-28-92	3.8	3.5	0.5	4.7	2.2	ND	ND		
Ethylbenzene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL: 680
	7-24-92	ND	ND	ND	ND	ND	ND	ND		EPAMCL: 700
	10-28-92	ND	ND	0.8	ND	ND	ND	ND		
Methylene chloride	3-24-92	ND	ND	0.57	ND	ND	0.85	0.84	0.5	CAMCL:
(MC)	7-24-92	ND	ND	ND	ND	ND	ND	ND		Unregulated EPAMCL: 5.0
	10-28-92	ND	ND	ND	ND	ND	: ND	ND		
Naphthalene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	Unregulated
	7-24-92	ND	ND	ND	ND	ND	ND	ND		
	10-28-92	ND	ND	1.6	ND	ND	ND	ND		
Tetrachloroethene	3-24-92	+200	+210	+73	+160	+98	ND	ND	0.5	CAMCL: 5.0
(PCE)	7-24-92	+170	+220	+34	+210	+120	ND	ND		EPAMCL: 5.0
	10-28-92	+160	+180	+41	+160	+110	ND	ND		
Toluene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL:
	7-24-92	ND	ND	ND	ND	ND	ND	ND		Unregulated
	10-28-92	ND	ND	0.8	ND	ND	ND	ND		EPAMCL: 1,000

## Table 1 (Continued) Summary Table of Results for EPA Method 524.2 (Concentrations in ug/L) for Volatile Organic Compounds

at

## Stoody Company City of Industry, California Clayton Project No. 39314.03

Compound	Date	MW-1	MW-2	MW-3	MW-4	MW-5	Field Blank	Method Blank	LOD for Compound	CAMCL and EPAMCL for Compound
1,1,1-Trichloroethane	3-24-92	ND	3.5	5.9	ND	1.1	ND	ND	0.5	CAMCL: 200
(1,1,1-TCA)	7-24-92	1.4	2.9	2.4	1.8	1.0	ND	ND		EPAMCL:
	10-28-92	1.7	3.2	2.4	1.8	1.2	ND	ND		200
Trichloroethene	3-24-92	+50	+31	+96	+41	+23	ND	ND	0.5	CAMCL: 5.0
(TCE)	7-24-92	+37	+26	+49	+41	+23	ND	ND		EPAMCL:
	10-28-92	+41	+30	+52	+40	+2.8	ND	ND		5.0
Trichlorofluoro-methane	3-24-92	2.6	ND	ND	2.7	1.0	ND	ND	0.5	CAMCL: 150
(TCFM)	7-24-92	2.7	2.3	0.6	4.8	1.1	ND	ND		EPAMCL:
	10-28-92	3.0	2.2	ND	3.5	1.1	ND	ND		Unregulated
1,2,4-Trimethylbenzene	3-24-92	ND	ND	ND	αи	ND	ND	ND	0.5	Unregulated
(1,2,4-TMB)	7-24-92	ND	ND	ND	ND	ND	ND	ND		
	10-28-92	ND	ND	2.6	ND	ND	ND	ND		
1,3,5-Trimethylbenzene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	Unregulated
(1,3,5-TMB)	7-24-92	ND	ND	ND	ND	ND	ND	ND		
	10-28-92	ND	ND	2.1	ND	ND	ND	ND		
o-Xylene	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL: 1,750
	7-24-92	ND	ND	ND	ND	ND	ND	ND		EPAMCL:
	10-28-92	ND	ND	1.1	ND	ND	ND	ND		10,000

## Table 1 (Continued) Summary Table of Results for EPA Method 524.2 (Concentrations in ug/L) for Volatile Organic Compounds

at
Stoody Company
City of Industry, California
Clayton Project No. 39314.03

Compound	Date	MW-1	MW-2	MW-3	MW-4	MW-5	Field Blank	Method Blank	LOD for Compound	CAMCL and EPAMCL for Compound
p, m-Xylenes	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL: 1,750
	7-24-92	ND	ND	ND	ND	ND	ND	ND		EPAMCL:
	10-28-92	ND	ND	3.6	ND	ND	ND	ND		10,000
Freon 113	3-24-92	ND	ND	ND	ND	ND	ND	ND	0.5	CAMCL: 1,200
	7-24-92	ND	ND	ND	ND	ND	ND	ND		EPAMCL:
	10-28-92	14	7.7	15	13	4.6	ND	ND		Unregulated

ND: Not detected at or above limit of detection

ug/L: Micrograms per liter (generally equivalent to parts per billion)

NT: Not tested

CAMCL: State of California Department of Health Services, Primary Maximum Contaminant Level

EPAMCL: Environmental Protection Agency Maximum Contaminant Level

LOD: Limit of detection

+: Reported concentration is above CAMCL and/or EPAMCL

### Table 2 Groundwater Monitoring Well Data

at

# Stoody Company City of Industry, California Clayton Project No. 39314.03

Measurement Date: October 28, 1992

	Elevations (feet)											
Monitoring Well	MW-1	MW-2	MW-3	MW-4	MW-5							
California Coordinates Northerly	4 115 352.91	4 115 446.16	4 115 618.47	4 115 317.93	4 115 437.54							
California Coordinates Easterly	4 304 877.74	4 305 930.76	4 304 433.56	4 305 006.96	4 304 813.76							
Elevation at top of well casing (MSL)	352.18	351.12	349.34	353.55	351.64							
Date of Measurements	10/28/92	10/28/92	10/28/92	10/28/92	10/28/92							
Total depth of well from top of casing	44.70	45.00	45.00	45.00	50.70							
Depth to water from top of casing	29.32	28.22	30.20	28.20	28.89							
Elevation of water (MSL)	322.86	322.90	319,14	325.35	322.75							

MSL: Elevation above Mean Sea Level

Table 3
Summary Table of Groundwater Elevations
First, Second, and Third Quarters; 1992

at
Stoody Company
City of Industry, California
Clayton Project No. 39314.03

Measurement Date	MW-1 (feet)	MW-2 (feet)	MW-3 (feet)	MW-4 (feet)	MW-5 (feet)
11/91	319.72	319.83	315.72	320.51	319.47
1/29/92	320.42	320.47	316.59	321.14	320.30
2/16/92	322.12	322.23	318.33	322.87	322.03
3/23/92	322.46	322.58	318.58	323.19	322.36
4/9/92	322.48	322.52	318.58	323.21	322.39
5/19/92	322.80	322.88	318.79	323.53	322.67
6/17/92	322.72	322.78	318.78	323.45	322.59
7/6/92	322.67	322.63	318.77	323.26	322.43
8/25/92	323.00	322.08	319.13	323.73	322.89
9/25/92	322.92	321.98	318.97	323.59	322.76
10/28/92	322.86	322.90	319.14	325.35	322.75

Note: Groundwater elevations are shown in feet above mean sea level

## Table 4 Summary Table of Results for EPA Method 180.1 for Turbidity

at

Stoody Company City of Industry, California Clayton Project No. 39314.03

Sampling Date: October 28, 1992

Sample Identification	Turbidity (N.T.U.)*
MW-1	140
MW-2	390
MW-3	58
MW-4	610
MW-5	2.4
Blank	< 0.1

Limit of detection: 0.1 N.T.U.

\*N.T.U.: Nephelometric Turbidity Units



# APPENDIX B GROUNDWATER SAMPLING FORMS

### CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM

Job No: 39314.03

Site: Stoody

Date: 10/28/92

Well No: MW-1

Sampling Team: R. Zicker

Sampling Method: Hand bail

Field Conditions: Partly cloudy, warm

Describe Equipment Decontamination Before Sampling This Well:

Three-stage Alconox detergent wash, potable water rinse, double rinsed in deionized water

Total Depth

of Well: 44.70 feet

1015 Time:

Depth to Water

Before Purging:

29.32 feet

Volume Height of	Diameter 2-inch		Diameter <u>4-inch</u>		Volume		Purge Factor		
Water Column: 15.38 ft.	*	.16	.65	=	9. <b>97</b> gal	*	3	=	29.99

Depth Purging From: 44 feet

Time Surging Begins: 1015

Notes on Initial Discharge: Clear, no odor

Time	Volume Purged (gallons)	pH	Conductivity (x10³)	T (°F)	Comments
1015	5	4.77	1.96	70.9	Clear, no odor
	10	4.89	1.89	72.1	Clear, no odor
	20	4.72	1.92	72.3	Clear, no odor
	30	5.03	1.83	71.8	Clear, no odor

# CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM (CONTINUED)

Time Field Parameter Measurement Begins: 1050

	Rep #1
Нq	4.82
Conductivity (x10 <sup>3</sup> )	1.91
T (°F)	71.8

Pre-Sample Collection Gallons Purged:	50
Time Sample Collection Begins:	1050
Time Sample Collection Ends:	1055
Total Gallons Purged:	50

Comments:

### CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM

Job No: 39314.03

Site: Stoody

Date: 10/28/92

Well No: MW-2

Sampling Team: R. Zicker

Sampling Method: Hand bail

Field Conditions: Partly cloudy, warm

Describe Equipment Decontamination Before Sampling This Well:

Three-stage Alconox detergent wash, potable water rinse, double rinsed in deionized water

Total Depth

of Well:

45.00 feet

Time: 0950

Depth to Water

Before Purging: 2

28.22 feet

Volume Height of		Diameter 2-inch	Diameter 4-inch		<u>Volume</u>		Purge <u>Factor</u>		Volume To Purge
Water Column: 16.78 feet	*	.16	.65	=	10.91 gal	*	3	=	32.72

Depth Purging From: 45 feet Time Surging Begins: 0950

Notes on Initial Discharge: Cloudy, tan, no odor

Time	Volume Purged (gallons)	pН	Conductivity (x10³)	T (°F)	Comments
0950	5	4.94	2.04	71.8	Cloudy, tan, no odor
	10	4.83	1.98	72.1	Cloudy, tan, no odor
	20	4.94	2.06	71.7	Cloudy, tan, no odor
	30	4.82	2.02	71.4	Cloudy, tan, no odor
	40	1.96	1.96	72.5	Cloudy, tan, no odor

# CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM (CONTINUED)

Time Field Parameter Measurement Begins: 1010

	Rep #1
pН	4.83
Conductivity (x10³)	2.02
T (°F)	72.1

Pre-Sample Collection Gallons Purged:	40
Time Sample Collection Begins:	1010
Time Sample Collection Ends:	1015
Total Gallons Purged:	40

Comments:

### CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM

Job No: 39314.03

Site: Stoody

Date: 10/28/92

Well No: MW-3

Sampling Team: R. Zicker

Sampling Method: Hand bail

Field Conditions: Partly cloudy, warm

Describe Equipment Decontamination Before Sampling This Well:

Three-stage Alconox detergent wash, potable water rinse, double rinsed in deionized water

Total Depth

of Well: 45.00 feet

Time:

0830

Depth to Water

Before Purging:

30.20 feet

Volume Height of		Diameter 2-inch	Diameter 4-inch		<u>Volume</u>		Purge Factor		Volume To Purge
Water Column: 14.80 feet	*	.16	.65	=	9. <b>62</b> gal	*	3	=	28.86

Depth Purging From: 45 feet

Time Surging Begins: 0834

Notes on Initial Discharge: Clear, oily sheen, petroleum odor

Time	Volume Purged (gallons)	рĦ	Conductivity (x10³)	T (°F)	Comments
0834	1st bail (4 gallons)	5.52	2.07	71.1	Clear, oily sheen on surface, slight petroleum odor
	10	5.45	2.12	68.6	Clear, oily sheen on surface, slight petroleum odor
	30	5.39	2.20	72.1	Clear, oily sheen on surface, slight petroleum odor

## CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM (CONTINUED)

Time Field Parameter Measurement Begins: 0850

	Rep #1
pН	5.49
Conductivity (x10 <sup>3</sup> )	2.11
T (°F)	68.9

Pre-Sample Collection Gallons Purged: 30
Time Sample Collection Begins: 0850
Time Sample Collection Ends: 0855
Total Gallons Purged: 30

Comments: Slight oily sheen on surface, slight petroleum odor

### CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM

Job No: 39314.03

Site: Stoody

Date: 10/28/92

Well No: MW-4

Sampling Team: R. Zicker

Sampling Method: Hand bail

Field Conditions: Partly cloudy, warm

Describe Equipment Decontamination Before Sampling This Well:

Three-stage Alconox detergent wash, potable water rinse, double rinsed in deionized water

Time:

Total Depth

of Well:

45.00 feet

1055

Depth to Water

Before Purging: 28.20 feet

Volume Height of Water		Diameter 2-inch	Diameter 4-inch		Volume		Purge Factor		Volume To Purge
Column: 16.80 feet	*	.16	.65	=	10.92 gal	*	3	==	32.76

Depth Purging From: 45 feet Time Surging Begins: 1055

Notes on Initial Discharge: Cloudy, brown, no odor

Time	Volume Purged (gallons)	рН	Conductivity (x10 <sup>3</sup> )	T (°F)	Comments
1055	5	5.05	1.89	71.4	Cloudy, brown, no odor
	10	5.12	1.78	71.3	Cloudy, brown, no odor
	15	5.34	1.88	73.4	Cloudy, brown, no odor
	30	5.24	1.91	72.5	Cloudy, brown, no odor
	50	5.39	1.87	71.5	Cloudy, brown, no odor

# CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM (CONTINUED)

Time Field Parameter Measurement Begins: 1115

	Rep #1
рН	5.29
Conductivity (x10³)	1.86
T (°F)	72.7

Pre-Sample Collection Gallons Purged:	50
Time Sample Collection Begins:	1115
Time Sample Collection Ends:	1120
Total Gallons Purged:	50

Comments: Cloudy, brown, no odor

### CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM

Job No: 39314.03

Site: Stoody

Date: 10/28/92

Well No: MW-5

Sampling Team: R. Zicker

Sampling Method: Hand bail Field Conditions: Partly warm

Describe Equipment Decontamination Before Sampling This Well:

Three-stage Alconox detergent wash, potable water rinse, double rinsed in deionized water

Total Depth

of Well:

50.70 feet

Time:

0930

Depth to Water

Before Purging:

28.89 feet

Volume Height of		Diameter 2-inch	Diameter 4-inch		Volume		Purge Factor		Volume To Purge
Water Column: 21.81 feet	*	.16	.65	=	14.18 gal	*	3	=	42.53

Depth Purging From: 50 feet

Time Surging Begins: 0930

Notes on Initial Discharge: Slight oil sheen, no odor

Time	Volume Purged (gallons)	рН	Conductivity (x10 <sup>3</sup> )	T (°F)	Comments
0930	5	5.37	1.78	73.4	Slight sheen, no odor
	10	5.29	1.81	72.9	Slight sheen, no odor
	20	5.39	1.79	73.2	Slight sheen, no odor
	30	5.42	1.83	73.1	Slight sheen, no odor
	40	5.73	1.77	72.8	Slight sheen, no odor
	50	5.25	1.76	71.0	Slight sheen, no odor

# CLAYTON ENVIRONMENTAL CONSULTANTS, INC. WATER SAMPLING FIELD SURVEY FORM (CONTINUED)

Time Field Parameter Measurement Begins: 0945

	Rep #1
рН	5.40
Conductivity (x10 <sup>3</sup> )	1.78
T (°F)	72.4

Pre-Sample Collection Gallons Purged: 55

Time Sample Collection Begins: 0945

Time Sample Collection Ends: 0950

Total Gallons Purged: 55

Comments:



## APPENDIX C

## LABORATORY REPORTS AND CHAIN-OF-CUSTODY FORMS

1252 Quarry Lane P.O. Box 9019 Pleasanton, CA 94566 (510) 426-2600 Fax (510) 426-0106



November 4, 1992

Mr. Guy Romine CLAYTON ENVIRONMENTAL CONSULTANTS, INC. 5785 Corporate Ave. Ste. 150 Cypress, CA 90630

> Client Ref. 39314.00 Clayton Project No. 92103.27

Dear Mr. Romine:

Attached is our analytical laboratory report for the samples received on October 29, 1992. A copy of the Chain-of-Custody form acknowledging receipt of these samples is attached.

Please note that any unused portion of the samples will be disposed of 30 days after the date of this report, unless you have requested otherwise.

We appreciate the opportunity to be of assistance to you. If you have any questions, please contact Suzanne Silvera, Client Services Supervisor, at (510) 426-2657.

Sincerely,

Ronald H. Peters, CIH

Director, Laboratory Services

Western Operations

RHP/caa Attachments



Page 2 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-1

Date Sampled: 10/28/92

Lab Number:

9210327-01A

Date Received: 10/29/92 Date Analyzed: 10/30/92

Sample Matrix/Media:

WATER

EPA 524.2 Analytical Method:

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	56-23-5	0.9	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	0.6	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ND	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ИD	0.5

ND Not detected at or above limit of detection Information not available or not applicable



Page 3 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-1
Lab Number: 9210327-01A
Sample Matrix/Media: WATER
Analytical Method: EPA 524.2

Date Sampled: 10/28/92
Date Received: 10/29/92
Date Analyzed: 10/30/92

Limit of Concentration Detection CAS # (ug/L) Analyte (ug/L) Volatile Organic Compounds (continued) 95-50-1 ND 1,2-Dichlorobenzene 0.5 541-73-7 ND 1,3-Dichlorobenzene 0.5 1,4-Dichlorobenzene 106-46-7 ND 0.5 Dichlorodifluoromethane 75-71-8 ND 0.5 75-35-3 ND 1,1-Dichloroethane 0.5 107-06-2 ND 1,2-Dichloroethane 0.5 75-35-4 20 0.5 1.1-Dichloroethene 156-60-5 ND trans-1,2-Dichloroethene 0.5 156-59-2 3.8 cis-1,2-Dichloroethene 0.5 1,2-Dichloroethene (total) 540-59-0 3.8 0.5 1,2-Dichloropropane 78-87-5 ND 0.5 142-28-9 ND 1,3-Dichloropropane 0.5 594-20-7 ND 2,2-Dichloropropane 0.5 1,1-Dichloropropene 563-58-6 ND 0.5 100-41-4 ND 0.5 Ethylbenzene c-1,3-dichloropropene 10061-01-5 ND 0.5 10061-02-6 ND t-1.3-dichloropropene 0.5 Hexachlorobutadiene 87-68-3 ND 0.5 98-82-8 ND Isopropylbenzene 0.5 p-Isopropyltoluene 99-87-6 ND 0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 4 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-1
Lab Number: 9210327-01A
Sample Matrix/Media: WATER
Analytical Method: EPA 524.2

Date Sampled: 10/28/92
Date Received: 10/29/92
Date Analyzed: 10/30/92

Limit of Concentration Detection CAS # (ug/L) Analyte (ug/L) Volatile Organic Compounds (continued) 75-09-2 ND 0.5 Methylene chloride 91-20-3 ND 0.5 Naphthalene 103-65-1 ND n-Propylbenzene 0.5 100-42-5 ND Styrene 0.5 1,1,2,2-Tetrachloroethane 79-32-5 ND 0.5 630-20-6 ND 0.5 1,1,1,2-Tetrachloroethane 127-18-4 160 0.5 Tetrachloroethene 108-88-3 ND 0.5 Toluene 1,2,3-Trichlorobenzene 87-61-6 ND 0.5 1,2,4-Trichlorobenzene 120-82-1 ND 0.5 71-55-6 1.7 0.5 1,1,1-Trichloroethane 79-00-5 ND 0.5 1,1,2-Trichloroethane 79-01-6 41 0.5 Trichloroethene 75-69-4 3.0 Trichlorofluoromethane 0.5 96-18-4 ND 1,2,3-Trichloropropane 0.5 95-63-6 ND 0.5 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene 108-67-8 ND 0.5 75-01-4 ND 0.5 Vinyl chloride 95-47-6 ND 0.5 o-Xylene ND p,m-Xylenes 0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 5 of 30

#### Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-1

Lab Number:

9210327-01A

Sample Matrix/Media: Analytical Method:

WATER

EPA 524.2

Date Sampled: 10/28/92 Date Received:

10/29/92

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (	continued)		
Freon 113	76-13-1	14	0.5
Surrogates		Recovery (%)	QC Limits (%) LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	93 94	80 - 120 80 - 120

Not detected at or above limit of detection ND Information not available or not applicable



Page 6 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-2

9210327-02A

Date Sampled: 10/28/92 Date Received: 10/29/92

Sample Matrix/Media:

Lab Number:

WATER

Date Analyzed: 10/30/92

EPA 524.2 Analytical Method:

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	<b>56-23-5</b>	0.7	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	0.5	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ND	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND .	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 7 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-2

Lab Number: 9210327-02A

Sample Matrix/Media: WATER

Date Sampled: 10/28/92

Date Received: 10/29/92

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	continued)		
1,2-Dichlorobenzene	95-50-1	ND	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	7 <b>5-</b> 35-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.5
1,1-Dichloroethene	75-35-4	12	0.5
trans-1,2-Dichloroethene	1 <b>56-</b> 60-5	ND	0.5
cis-1,2-Dichloroethene	156-59-2	3.5	0.5
1,2-Dichloroethene (total)	540-59-0	3.5	0.5
1,2-Dichloropropane	78-87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	563-58-6	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ND	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	99-87-6	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 8 of 30

# Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-2 Date Sampled: 10/28/92
Lab Number: 9210327-02A Date Received: 10/29/92
Sample Matrix/Media: WATER Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (co	ontinued)		
Methylene chloride	75-09-2	ND	0.5
Naphthalene	91-20-3	ND	0.5
n-Propylbenzene	103-65-1	ND	0.5
Styrene	100-42-5	ND	0.5
1,1,2,2-Tetrachloroethane	79-32-5	ND	0.5
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5
Tetrachloroethene	127-18-4	180	0.5
Toluene	108-88-3	ND	0.5
1,2,3-Trichlorobenzene	87-61-6	ND	0.5
1,2,4-Trichlorobenzene	120-82-1	ND	0.5
1,1,1-Trichloroethane	71-55-6	3.2	0.5
1,1,2-Trichloroethane	79-00-5	ND	0.5
Trichloroethene	79-01-6	30	0.5
Trichlorofluoromethane	75-69-4	2.2	0.5
1,2,3-Trichloropropane	96-18-4	ND	0.5
1,2,4-Trimethylbenzene	95-63-6	ND	0.5
1,3,5-Trimethylbenzene	108-67-8	ND	0.5
Vinyl chloride	75-01-4	ND	0.5
o-Xylene	95-47-6	ND	0.5
p,m-Xylenes		ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 9 of 30

## Results of Analysis

for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-2

Lab Number:

9210327-02A

Sample Matrix/Media: Analytical Method:

WATER

EPA 524.2

Date Sampled: 10/28/92 Date Received:

10/29/92

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (	continued)		
Freon 113	76-13-1	7.7	0.5
Surrogates		Recovery (%)	QC Limits (%) LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 21 <b>99-</b> 69-1	103 93	80 - 120 80 - 120

Not detected at or above limit of detection ND Information not available or not applicable



Page 10 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-3
Lab Number: 9210327-03A
Date Sampled: 10/28/92
Date Received: 10/29/92
Sample Matrix/Media: WATER
Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	0.6	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	56-23-5	0.9	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	0.8	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	0.6	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 11 of 30

#### Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-3

9210327-03A

Date Sampled: 10/28/92 Date Received: 10/29/92

Lab Number: Sample Matrix/Media:

WATER

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	ontinued)		
1,2-Dichlorobenzene	95-50-1	ND	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	75-35-3	ND	0.5
1,2-Dichloroethane	107-06-2	0.6	0.5
1,1-Dichloroethene	75-35-4	25	0.5
trans-1,2-Dichloroethene	156-60-5	ND	0.5
cis-1,2-Dichloroethene	156-59-2	0.5	0.5
1,2-Dichloroethene (total)	<b>540-</b> 59-0	0.5	0.5
1,2-Dichloropropane	78-87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	563-58-6	ND	0.5
Ethylbenzene	100-41-4	0.8	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ND	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	99-87-6	ND	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 12 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-3

Lab Number: 9210327-03A

Sample Matrix/Media: WATER

Date Sampled: 10/28/92

Date Received: 10/29/92

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (co	ontinued)		
Methylene chloride	75-09-2	ND	0.5
Naphthalene	91-20-3	1.6	0.5
n-Propylbenzene	103-65-1	ND	0.5
Styrene	100-42-5	ND	0.5
1,1,2,2-Tetrachloroethane	79 <b>-</b> 32-5	ND	0.5
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5
Tetrachloroethene	127-18-4	41	0.5
Toluene	108-88-3	0.8	0.5
1,2,3-Trichlorobenzene	87-61-6	ND	0.5
1,2,4-Trichlorobenzene	120-82-1	ND	0.5
1,1,1-Trichloroethane	71-55-6	2.4	0.5
1,1,2-Trichloroethane	79-00-5	ND	0.5
Trichloroethene	79-01-6	52	0.5
Trichlorofluoromethane	75-69-4	ND	0.5
1,2,3-Trichloropropane	96-18-4	ND	0.5
1,2,4-Trimethylbenzene	95-63-6	2.6	0.5
1,3,5-Trimethylbenzene	108-67-8	2.1	0.5
Vinyl chloride	75-01-4	ND	0.5
o-Xylene	95-47-6	1.1	0.5
p,m-Xylenes		3.6	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 13 of 30

# Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-3

Lab Number: 9210327-03A Sample Matrix/Media: WATER

Analytical Method: EPA 524.2

Date Sampled: 10/28/92 Date Received: 10/29/92 Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (	continued)		
Freon 113	76-13-1	15	0.5
Surrogates		Recovery (%)	QC Limits (%)  LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	93 96	80 - 120 80 - 120

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 14 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-4
Lab Number: 9210327-04A
Sample Matrix/Media: WATER

Date Sampled: 10/28/92
Date Received: 10/29/92
Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds	***************************************		
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	56-23-5	0.8	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	0.6	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ND	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 15 of 30

# Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-4 Date Sampled: 10/28/92 Lab Number: 9210327-04A Date Received: 10/29/92 Sample Matrix/Media: WATER Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	continued)		
1,2-Dichlorobenzene	95-50-1	ND	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	<b>75-35-3</b>	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.5
1,1-Dichloroethene	75-35-4	17	0.5
trans-1,2-Dichloroethene	1 <b>56-</b> 60-5	ND	0.5
cis-1,2-Dichloroethene	1 <b>56-</b> 59-2	4.7	0.5
1,2-Dichloroethene (total)	540-59-0	4.7	0.5
1,2-Dichloropropane	78-87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	563-58-6	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ND	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	9 <b>9-</b> 87-6	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 16 of 30

# Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-4 Date Sampled: 10/28/92 9210327-04A Lab Number: Date Received: 10/29/92 Date Analyzed: Sample Matrix/Media: WATER 10/30/92

EPA 524.2 Analytical Method:

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (co	ontinued)		
Methylene chloride	75-09-2	ND	0.5
Naphthalene	91-20-3	ND	0.5
n-Propylbenzene	103-65-1	ND	0.5
Styrene	100-42-5	ND	0.5
1,1,2,2-Tetrachloroethane	79-32-5	ND	0.5
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5
Tetrachloroethene	127-18-4	160	0.5
Toluene	108-88-3	ND	0.5
1,2,3-Trichlorobenzene	87-61-6	ND	0.5
1,2,4-Trichlorobenzene	120-82-1	ND	0.5
1,1,1-Trichloroethane	71-55-6	1.8	0.5
1,1,2-Trichloroethane	79-00-5	ND	0.5
Trichloroethene	79 <b>-</b> 01-6	40	0.5
Trichlorofluoromethane	75-69-4	3.5	0.5
1,2,3-Trichloropropane	96-18-4	ND	0.5
1,2,4-Trimethylbenzene	95-63-6	ND	0.5
1,3,5-Trimethylbenzene	108-67-8	ND	0.5
Vinyl chloride	75-01-4	ND	0.5
o-Xylene	95-47-6	ND	0.5
p,m-Xylenes		ND	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 17 of 30

### Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-4

Date Sampled:

10/28/92

Lab Number:

9210327-04A

Date Received:

10/29/92

Sample Matrix/Media:

WATER

Date Analyzed:

10/30/92

Analytical Method:

EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	continued)		
Freon 113	76-13-1	13	0.5
Surrogates		Recovery (%)	QC Limits (%) LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	96 91	80 - 120 80 - 120

Not detected at or above limit of detection ND Information not available or not applicable



Page 18 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-5
Lab Number: 9210327-05A
Sample Matrix/Media: WATER
Date Sampled: 10/28/92
Date Received: 10/29/92
Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	ND	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ND	0.5
4-Chlorotoluene	106-43-4	ИD	0.5
Dibromochloromethane	124-48-1	ИD	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 19 of 30

10/30/92

Date Analyzed:

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-5
Lab Number:

Date Sampled: 10/28/92
Date Received: 10/29/92

Sample Matrix/Media: WATER
Analytical Method: EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	continued)		
1,2-Dichlorobenzene	95-50-1	ИД	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	75-35-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.5
1,1-Dichloroethene	75-35-4	8.2	0.5
trans-1,2-Dichloroethene	1 <b>56</b> -60-5	ND	0.5
cis-1,2-Dichloroethene	156-59-2	2.2	0.5
1,2-Dichloroethene (total)	5 <b>40</b> -59-0	2.2	0.5
1,2-Dichloropropane	78-87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	563-58-6	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ИД	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	99-87-6	ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 20 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: MW-5 Date Sampled: 10/28/92 Lab Number: 9210327-05A Date Received: 10/29/92 Date Analyzed: 10/30/92

Sample Matrix/Media: WATER

EPA 524.2 Analytical Method:

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (co	ontinued)		
Methylene chloride	75-09-2	ND	0.5
Naphthalene	91-20-3	ND	0.5
n-Propylbenzene	103-65-1	ND	0.5
Styrene	100-42-5	ND	0.5
1,1,2,2-Tetrachloroethane	79 <b>-</b> 32-5	ND	0.5
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5
Tetrachloroethene	127-18-4	110	0.5
Toluene	108-88-3	ND	0.5
1,2,3-Trichlorobenzene	87-61-6	ND	0.5
1,2,4-Trichlorobenzene	120-82-1	ND	0.5
1,1,1-Trichloroethane	71-55-6	1.2	0.5
1,1,2-Trichloroethane	79 <b>-</b> 00-5	ND	0.5
Trichloroethene	79-01-6	2.8	0.5
Trichlorofluoromethane	75-69-4	1.1	0.5
1,2,3-Trichloropropane	96-18-4	ND	0.5
1,2,4-Trimethylbenzene	95-63-6	ND	0.5
1,3,5-Trimethylbenzene	108-67-8	ND	0.5
Vinyl chloride	75-01-4	ND	0.5
o-Xylene	95-47-6	ND	0.5
p,m-Xylenes		ND	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 21 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification:		Date Sampled:	
Lab Number:	9210327-05A	Date Received:	10/29/92
Sample Matrix/Media:	WATER	Date Analyzed:	10/30/92
Analytical Method:	EPA 524.2		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	ontinued)		
Freon 113	76-13-1	4.6	0.5
Surrogates		Recovery (%)	QC Limits (%) LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	93 89	80 - 120 80 - 120

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 22 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: FIELD BLANK

Date Sampled: 10/28/92

Lab Number:

9210327-06A

Date Received: 10/29/92 Date Analyzed: 10/30/92

Sample Matrix/Media:

Analytical Method:

WATER

EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	ND	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ND	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

Not detected at or above limit of detection ND

Information not available or not applicable



Page 23 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: FIELD BLANK Lab Number:

9210327-06A

Date Sampled: 10/28/92 Date Received:

Sample Matrix/Media:

WATER

10/29/92 Date Analyzed: 10/30/92

Analytical Method:

EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	ontinued)		
1,2-Dichlorobenzene	95-50-1	ND	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	75-35-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.5
1,1-Dichloroethene	75-35-4	ND	0.5
trans-1,2-Dichloroethene	1 <b>56-</b> 60-5	ND	0.5
cis-1,2-Dichloroethene	156-59-2	ND	0.5
1,2-Dichloroethene (total)	5 <b>40</b> -59-0	ND	0.5
1,2-Dichloropropane	78-87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	563-58-6	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ND	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	99-87-6	ИД	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 24 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: FIELD BLANK Date Sampled: 10/28/92 9210327-06A Date Received: Lab Number: 10/29/92 Date Analyzed: 10/30/92

Sample Matrix/Media: WATER Analytical Method: EPA 524.2

An <b>a</b> lyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)		
Volatile Organic Compounds (c	ontinued)				
Methylene chloride	75-09-2	ND	0.5		
Naphthalene	91-20-3	ND	0.5		
n-Propylbenzene	103-65-1	ND	0.5		
Styrene	100-42-5	ND	0.5		
1,1,2,2-Tetrachloroethane	79-32-5	ND	0.5		
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5		
Tetrachloroethene	127-18-4	ND	0.5		
Toluene	108-88-3	ND	0.5		
1,2,3-Trichlorobenzene	87-61-6	ND	0.5		
1,2,4-Trichlorobenzene	120-82-1	ND	0.5		
1,1,1-Trichloroethane	71-55-6	ND	0.5		
1,1,2-Trichloroethane	79-00-5	ND	0.5		
Trichloroethene	79-01-6	ND	0.5		
Trichlorofluoromethane	75-69-4	ND	0.5		
1,2,3-Trichloropropane	96-18-4	ND	0.5		
1,2,4-Trimethylbenzene	95-63-6	ND	0.5		
1,3,5-Trimethylbenzene	108-67-8	ND	0.5		
Vinyl chloride	75-01-4	ND	0.5		
o-Xylene	95-47-6	ND	0.5		
p,m-Xylenes		ND	0.5		

Not detected at or above limit of detection ND Information not available or not applicable



Page 25 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: FIELD BLANK Lab Number:

WATER

9210327-06A

Date Sampled: Date Received:

10/28/92 10/29/92

Sample Matrix/Media: Analytical Method:

EPA 524.2

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (	continued)		
Freon 113	76-13-1	ND	0.5
Surrogates		Recovery (%)	QC Limits (%) LCL UCL
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	97 89	80 - 120 80 - 120

Not detected at or above limit of detection ND Information not available or not applicable



Page 26 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: METHOD BLANK

Date Sampled:

Lab Number:

9210327-07A

Date Received:

Sample Matrix/Media:

WATER

Date Analyzed: 10/30/92

Analytical Method:

EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds			
Benzene	71-43-2	ND	0.5
Bromobenzene	108-86-1	ND	0.5
Bromochloromethane	74-97-5	ND	0.5
Bromodichloromethane	75-27-4	ND	0.5
Bromoform	75-25-2	ND	0.5
Bromomethane	74-83-9	ND	0.5
n-Butylbenzene	104-51-8	ND	0.5
sec-Butylbenzene	135-98-8	ND	0.5
tert-Butylbenzene	98-06-6	ND	0.5
Carbon tetrachloride	5 <b>6-</b> 23-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.5
Chloroethane	75-00-3	ND	0.5
Chloroform	67-66-3	ND	0.5
Chloromethane	74-87-3	ND	0.5
2-Chlorotoluene	95-49-8	ИD	0.5
4-Chlorotoluene	106-43-4	ND	0.5
Dibromochloromethane	124-48-1	ND	0.5
1,2-Dibromo-3-chloropropane	96-12-8	ND	0.5
1,2-Dibromoethane	106-93-4	ND	0.5
Dibromomethane	74-95-3	ND	0.5

Not detected at or above limit of detection ND Information not available or not applicable



Page 27 of 30

### Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: METHOD BLANK

Date Sampled:

Lab Number:

9210327-07A

Date Received: --

Sample Matrix/Media:

WATER

Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	ontinued)		
1,2-Dichlorobenzene	95-50-1	ND	0.5
1,3-Dichlorobenzene	541-73-7	ND	0.5
1,4-Dichlorobenzene	106-46-7	ND	0.5
Dichlorodifluoromethane	75-71-8	ND	0.5
1,1-Dichloroethane	<b>75-35-</b> 3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.5
1,1-Dichloroethene	75-35-4	ND	0.5
trans-1,2-Dichloroethene	1 <b>56</b> -60-5	ND	0.5
cis-1,2-Dichloroethene	156-59-2	ND	0.5
1,2-Dichloroethene (total)	5 <b>40-</b> 59-0	ND	0.5
1,2-Dichloropropane	7 <b>8-</b> 87-5	ND	0.5
1,3-Dichloropropane	142-28-9	ND	0.5
2,2-Dichloropropane	594-20-7	ND	0.5
1,1-Dichloropropene	5 <b>63-</b> 58-6	ND	0.5
Ethylbenzene	100-41-4	ND	0.5
c-1,3-dichloropropene	10061-01-5	ND	0.5
t-1,3-dichloropropene	10061-02-6	ND	0.5
Hexachlorobutadiene	87-68-3	ND	0.5
Isopropylbenzene	98-82-8	ND	0.5
p-Isopropyltoluene	99-87-6	ИД	0.5

ND Not detected at or above limit of detection Information not available or not applicable



Page 28 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: METHOD BLANK Date Sampled: -Lab Number: 9210327-07A Date Received: --

Sample Matrix/Media: WATER Date Analyzed: 10/30/92

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
Volatile Organic Compounds (c	ontinued)		
Methylene chloride	75-09-2	ND	0.5
Naphthalene	91-20-3	ND	0.5
n-Propylbenzene	103-65-1	ND	0.5
Styrene	100-42-5	ND	0.5
1,1,2,2-Tetrachloroethane	79-32-5	ND	0.5
1,1,1,2-Tetrachloroethane	630-20-6	ND	0.5
Tetrachloroethene	127-18-4	ND	0.5
Toluene	108-88-3	ND	0.5
1,2,3-Trichlorobenzene	87-61-6	ND	0.5
1,2,4-Trichlorobenzene	120-82-1	ND	0.5
1,1,1-Trichloroethane	71-55-6	ND	0.5
1,1,2-Trichloroethane	79-00-5	ND	0.5
Trichloroethene	79-01-6	ND	0.5
Trichlorofluoromethane	75-69-4	ND	0.5
1,2,3-Trichloropropane	96-18-4	ND	0.5
1,2,4-Trimethylbenzene	95-63-6	ND	0.5
1,3,5-Trimethylbenzene	108-67-8	ND	0.5
Vinyl chloride	75-01-4	ND	0.5
o-Xylene	95-47-6	ND	0.5
p,m-Xylenes		ND	0.5

ND Not detected at or above limit of detection -- Information not available or not applicable



Page 29 of 30

#### Results of Analysis for

Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Identification: METHOD BLANK

Date Sampled:

Lab Number:

9210327-07A

Date Received: --

Sample Matrix/Media:

WATER

Date Analyzed: 10/30/92

Analytical Method:

EPA 524.2

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)			
Volatile Organic Compounds (c	ontinued)					
Freon 113	76-13-1	ND	0.5			
Surrogates		Recovery (%)	QC Limits (%)  LCL UCL			
4-Bromofluorobenzene 1,2-Dichlororbenzene-d4	460-00-4 2199-69-1	87 84	80 - 120 80 - 120			

Not detected at or above limit of detection ND Information not available or not applicable



Page 30 of 30

# Results of Analysis for Clayton Environmental Consultants, Inc.

Client Reference: 39314.00 Clayton Project No. 92103.27

Sample Matrix/Media: WATER
Analysis Method: EPA 180.1

Date Received: 10/29/92 Date Analyzed: 10/30/92

Lab Number	Sample Identification	Date Sampled	Turbidity (N.T.U.)	Detection Limit (N.T.U.)		
01D	MW-1	10/28/92	140	0.1		
02D	MW-2	10/28/92	390	0.1		
03D	MW-3	10/28/92	58	0.1		
04D	MW-4	10/28/92	610	0.1		
05D	MW-5	10/28/92	2.4	0.1		
07A	METHOD BLANK	<del></del>	<0.1	0.1		

ND Not detected at or above limit of detection

Not detected at or above limit of detection

<sup>--</sup> Information not available or not applicable



### REQUEST FOR LABORATORY **ANALYTICAL SERVICES**

For Clayto	n Use Only Pa	age	01
Project No	).		
Batch No.	9210	30	9.7
Ind. Code			W.P.
Date Logg	ed In <i>(6/27/</i>	37	By To.
<u> </u>	Client Job No.	.3	9314.00

A Marsh & McLennan Company

									Date	3 LUGG	Jou III	$(\Omega \otimes$	$TL\Delta^2$	<u></u>		
	itle Geo		<del></del>	Purci	hase	Order No	).				Clien	nt J6b I	No.	393	314.00	)
In to Company		Oept. EE		J W	Ī	Name										
Company Clayton  Mailing Address  City State Zip	e55		,	김정유	OC	Company			Saw	ne -					Dept.	
<u>                                </u>				SEND	- LA	Address										
Telephone No. Telefax  Date Results Req.: Rush Charges Authorized? Phone		.1		<del> </del>	-15	City, State	), Zip		ANI	AL VOI	IS REC	NIECT				
DIVINI TAT Yes AND D	e / Fax Hesuits	1 Campion	es are: if applicable)	<b>9</b> 675	(En	iter an 'X'	in the b	oox be	low to	indica	te requ	Jest; É	nter a	'P' if P	reservative	added.
Special Instructions: (method, limit of detection, etc.)			king Water	Containers			/ ,	Ι,	//	/			/	/	//	
Explanation of Preservative:		1	ected in the of New York	ð		1	3	!\\ !						//	//	
CLIENT SAMPLE IDENTIFICATION	DATE SAMPLED	MATRIX/ MEDIA	(specify units)	) <u>Ž</u>			3/		$\angle$	$\angle$	$\angle$	$\angle$				OR LAB E ONLY
mw-1	10/28/92	4 wholer	123×1141	4	<u>k</u>	PX									SPIO	CD
mw-2	1'1'			14	X	PV									03	
mw-3				4	X										03	
mw-4				14	لا∐	4 X									0,1	
mw-5	14	<del> </del>	141	14	X	'f X	<u> </u>				<b> </b>	<b> </b>	<b> </b>	ļ	05 1	₹
<del></del>		<b> </b>		1	↓_		1				<b> </b>	<u> </u>	<b> </b>	<b> </b>		
F	<del></del>	<del> </del>	1 11 8	<del>  _</del>	<del> </del>	<u> </u>	<del></del>			<b> </b>	<del> </del>	<b>↓</b>	ļ'	ļ	OF #	<i>t</i> ≥
Field Blank	10/28/92	water	NA 41 81	11	12	41	<del>  </del> -			<b> </b>	<del> </del>	<del> </del>	<b></b>	}	064	
<del> </del>	<del></del>	<del></del>	<del> </del>	4	<del> </del>		╂╼╾╂			<b>├</b> ─	<del> </del>	<del> </del>	ļ	<b> </b>		
Collected by:	Palacet	Zicke	er (print)	Coll	ector	r's Signat	ure:	1/1	19/1	1		<u> </u>	<b>I</b>			<del></del>
CHAIN Relinquished by:		Date/Jime			eived			<u> </u>						Date/		
CUSTODY Relinquished by:		Date/Time		Rec	eived	d at Lab b	y: 10	21	14	X	QU	<u>'8</u>		Date/	Ting /93	11:40A
Method of Shipment:				Sam	ple (	Condition	Upon R	leceipt	:: ] [	Ac	cceptal	ble	C	J OIH	er (explain	1)
Authorized by: (Client Signature Must Accompany		)ate 10/2	28/92													
Please return completed form and samples to one of the		ironmental	Consultants in	c labs	liste	d below.				<del></del>		<del></del>				
I lagge lefulli collibieten totti ette settibles to pile of ti	O CHEYION CITY	· Orinionitai	Donaditalita, iii	J. 1000	11010	, C C C C T .						17	ALC:TO!	IDLITIO	ski.	

22345 Roethel Drive Novi, MI 48375 (313) 344-1770

**Raritan Center** 160 Fieldcrest Ave. Edison, NJ 08837 (908) 225-6040

400 Chastain Center Blvd., N.W. Suite 490

Kennesaw, GA 30144 (404) 499-7500

1252 Quarry Lane Pleasanton, CA 94566 (510) 426-2657

Clayton Laboratory WHITE YELLOW - Clayton Accounting - Client Retains PINK